

# **2022 GLOBE Asia-Pacific**

# **Virtual Student Presentation**

January 24, 2022 via ZOOM VDO Conference



The Institute for the Promotion of Teaching Science and Technology (IPST) Ministry of Education



### Contents

		Page
Age	enda for 2022 GLOBE Asia-Pacific Virtual Regional Meeting	2
Stu	dent Research Abstract	
1.	The Effect of Different Soil Characteristics between Burned Soil	5
	and Plowed Soil on Growth of Rice	
	Winfield High School, India	
2.	Mosquito Larva Studies	6
	Amity Public School, Nepal	
3.	Impact of Chemical waste on environment	7
	Pushpanjali Secondary School, Nepal	
4.	Assessing the Correlation of the Air Pollution and Meteorological	8
	Conditions of San Mateo in a COVID-19 Setting	
	Batasan Hills National High School, Philippines	
5.	Finding Microplastics In Campus	9
	New Taipei Municipal Hsin Tien Senior High School, Taiwan	
	Partnership	
6.	Microplastics Monitoring in two main river of central Taiwan.	10
	Feng Yuan Senior High School, Taiwan Partnership	
7.	The Study of How the Amount of Clouds in the sky Affect the	11
	Difference of Temperatures during Daytime and Nighttime	
	Varee Chiangmai School, Thailand	
8.	The study of physical factors of dung beetles for the development	12
	of an automated artificial nest system	
	Sawang Daen Din School, Thailand	
9.	Technique to increase yield of Pan Phichit lime (Citrus aurantifolia	13
	Swingle) by applying soil properties data together with automation	
	system	
	Donchanwittayakom School, Thailand	
10.	3-year-Navigating Environmental Indices around Jungil High	14
	School, Daejeon, South Korea	
	Jungil High School, Republic of Korea	



Agenda for

2022 GLOBE Asia-Pacific Virtual Regional Meeting

#### "We Learn We Do with GLOBE"

January 24 – 26, 2022 via ZOOM VDO Conference

Hosted by:

GLOBE Thailand, The Institute for the promotion of teaching science and technology (IPST)

and GLOBE Asia-pacific Regional Office

Sponsor by: GLOBE implementation office

**\*\***All times are in Manila Time Zone\*\*

Date & Time	Description	Remark
Day 1: January 24, 2022	GLOBE Student Presentation	
10:30 am – 11:00 am	Register	
11:00 am – 11:30 am	Opening Session	MC: Dr.Alongkot
	Introduction and Welcome Remarks	Maiduang, IPST
	By Prof.Dr. Sukit Limpijumnong,	
	President of IPST and Country Coordinator,	
	GLOBE Thailand	
	Welcome Remarks	
	Dr.Desh Bandhu, Coordinator /GLOBE	
	Regional Coordination Office for Asia-Pacific	
	Welcome Remarks	
	By Dr. Tony Murphy,	
	Director/GLOBE Implementation Office, USA	
	Opening speech	
	By Dr. Khunying Kalaya Sophonpanich,	
	Deputy Minister of Education	
	(VDO Presentation)	
11:30 am – 12:15 pm	Plenary Talk#1	
	"Space Science and Technology for All"	
	By Dr. Saran Poshyachinda,	
	Executive Director, National Astronomical	
	Research Institute of Thailand (Public	
	Organization)	
12:15 pm – 1:00 pm	Plenary Talk#2	
	"Sensor and Smart Farming Implementation	
	for Student Project"	
	By Assoc. Prof. Dr.Krisanadej	
	Jaroensutasinee	
	Walailak University, and GLOBE Technology	
	Working Group	
1:00 pm – 2:00 pm	Break (Lunch)	
2:00 pm – 4:00 pm	Student Presentation	<ul> <li>7 mins for each</li> </ul>
	1. Winfield High School, India	presentation
	2. Amity Public School, Nepal	
	3. Pushpanjali Secondary School, Nepal	
	4. Batasan Hills National High School,	
	Philippines	
	5. New Taipei Municipal Hsin Tien Senior	
	High School, Taiwan Partnershin	



Date & Time	Description	Remark
	6. Feng Yuan Senior High School, Taiwan	
	Partnership	
	7. Varee Chiangmai School, Thailand	
	8. Sawang Daen Din School, Thailand	
	9. Donchanwittayakom School, Thailand	
	10. Jungil High School, Republic of Korea	
Day 2: January 25, 2022	GLOBE Asia-Pacific Regional Meeting	
10:45 am – 11:00 am	Register	
11:00 am – 11:15 am	Opening Session	MC: Miss Samornsri
	Welcome Remarks & Opening Remarks	Kanphai, IPST
	by Prof.Dr. Sukit Limpijumnong,	
	President of IPST	
11:15 am - 11:45 am	Opening Remarks & GLOBE Program	
	Update	
	By Dr. Tony Murphy,	
	Director/GLOBE Implementation Office, USA	
11:45 am – 12:30 pm	Opening Remarks & The GLOBE Program	
	status in the region	
	By Dr.Desh Bandhu, Coordinator /GLOBE	
	Regional Coordination Office for Asia-Pacific	
12:30 pm – 1:00 pm	GLOBE Country Coordinators Report	- Conduct by Dr.Desh
		Alphabetical order by
		country name
1:00 pm – 2:00 pm	Break (Lunch)	
2:00 pm – 4:00 pm	GLOBE Country Coordinators Report (cont.)	
Day 3: January 26, 2022		
10:45 am – 11:00 am	Register	
11:00 am – 12:00 pm	GLOBE Working Group Report	- MC: Miss Samornsri
		Kanphai, IPST
		- Conduct by Mr.
		Yogenda, Nepal
12:00 pm - 1:00 pm	GLOBE Website Update & GLOBE's new	
	Data Entry System	
	By Mr. David Overoye, Manager, SSAI Web	
	Solutions	
1:00 pm – 2:00 pm	Break (Lunch)	
2:00 pm – 3:00 pm	Student Exchange & Regional Campaigns	
	(Presentation and Discussion)	
	By Dr.Desh Bandhu, Coordinator /GLOBE	
	Regional Coordination Office for Asia-Pacific	
3:00 pm – 3:50 pm	GLOBE Strategic Plan & Its Implementation	
	(Presentation and Discussion)	
	By Dr. Tony Murphy,	
	Director/GLOBE Implementation Office, USA	
3:50 pm – 4:00 pm	Closing Session	



### **GLOBE** Asia-Pacific

### **Student Research Abstract**



#### The Effect of Different Soil Characteristics between Burned Soil and Plowed Soil on Growth of Rice

Student (s): B. Tanush Reddy, Y. Dhanush, G. Nihanth Sai, X CLASS Teacher: Gadde Pulla Rao M.Sc., B.Ed. School: Winfield High School – Khammam, India Country: India

#### Abstract

Soil management strategies influence soil nutrients, which directly affect the growth of rice. This study compared soil nutrients resulting from three different soil management strategies and their effects on rice growth. After interpreting the results of the nutrient studies, plowed soil was shown to have the lowest pH level and nitrogen content, but the highest phosphorus and potassium contents. Similarly, rice plants showed the most productive growth, as measured by plant height and density, in plowed soil. Thus, plowing the soil up and over remaining rice straw and hay was identified as the most appropriate system for sustaining agricultural rice production.

Keywords: soil, rice plant, rice growth, burned soil, plowed soil



#### Mosquito Larva Studies for Mosquito Born Diseases

 Student (s): Jenish Bhattarai, Ujjwal Bhujel, Ankesh Kaduwal, Parina Phuyal, Purnata Karki, Pabita Ramtel
 Teacher: Subarna Bhattarai
 School: Amity Public School
 Country: Nepal

Abstract:

Mosquito Larva Studies has turned vital for our area as our municipality, Mechinagar Municipality, Jhapa, Nepal, also falls in risk zone for dengue, malaria and encephalitis. **Hypothesis:** 

The high fever was the main symptom among the patients and the people who died. So, it might be due to one among above indicated diseases. Malaria, Dengue and Encephalitis. **Procedure:** 

- i. Collection of larvae from different locations.
- ii. Observation of Larva's location in water.
- iii. Observation of Electrical Conductivity, pH and Temperature of water.
- iv. Larva observation on larva tray. Using lens on mobile using GLOBE Protocol sheet among team mates.
- v. Photos taken to process on GLOBE Application.

#### **Principal Result:**

i. Identified different mosquitoes' larva Culex and Aedes.

#### **Conclusion:**

- i. The prone diseases classified to aware the mates within the school.
- ii. The awareness information on Facebook and social media.
- iii. Volunteered the location to generate awareness against the related diseases.
- iv. Helped cleaning the area possible.
- v. Inform the concerned authority as well.



#### Impact of Chemical waste on environment

Student (s): Miss Nasala Lakhey, Miss Dristi Maharjan, Mr. Aashutosh Karki, Miss Kristina Maharjan, Mr. Alex Maharjan, Miss Sujita Maharjan School: Pushpanjali Secondary School Country: Nepal

#### ABSTRACT

The Godavari is one of the places where we have researched based on our investigation and research on it; this experiment investigated the water quality and soil quality. We collected the water and soil of Godavari and tested its acidity and alkalinity of it. We formed different groups and went to collect different samples on different days and got different results.

We noticed that in rainy weather sewages from different canals and drains and dumping sites get mixed into the Godavari River. We use different materials for a sample and collected the water and soil in different bottles. Then we visited various farms and industries in that area and interviewed them. Through that, we found that they all used chemical fertilizers as it was easy to use and was profitable in comparison to organic fertilizers. They used chemicals like urea, ammonium phosphate, ammonium sulfate, and ammonium chloride. Not only that, synthetics like detergents, facewash, handwash, etc. got mixed in the river traveling through drains and canals.

After collecting the samples and completing our field visits, we tested those samples of soil and water and tested them in the chemistry lab of our school with our assigned teacher. We found that the pH value of clean water was 6.9 and the water affected by the sewage was 8.0 and that made caused water pollution where people go far from home to fetch a bucket of water. Also, cause the impossibility to grow crops easily as many local people are using chemical fertilizer that results in decreasing the fertility of the soil.



#### Assessing the Correlation of the Air Pollution and Meteorological Conditions of San Mateo in a COVID-19 Setting

Student: Mr.Josiah Myron A. DiosantaTeacher: Mrs. Maria Teresa BriosoSchool: Batasan Hills National High SchoolCountry: IBP Road, Batasan Hills, Quezon City, NCR, Philippines

#### Abstract

According to the World Health Organization (2020), the air quality in the Philippines is considered moderately unsafe which can bring detrimental effects to Filipinos living in the perimeter. This issue caused 45.3 deaths for every 100,000 people in the said country. The objective of this study is to produce an air quality data at San Mateo, Rizal as well as to be more cognizant about the factors of meteorological conditions as vehicle. The researcher gathered the air quality (particulate matter and carbon dioxide) and meteorological conditions (surface temperature and humidity) in three areas of San Mateo, Rizal; namely, Ampid Public Market, SM San Mateo, and Barangay Banaba for 28 days. After the experimentation, average and correlational values were assessed. For the relationship between Particulate Matter and Surface Temperature, the Banaba (0.64) is more moderate. A moderate degree of relationship exists between Particulate Matter and Relative Humidity in Ampid (0.47) and Banaba (0.34) than SM San Mateo. The correlation between the Carbon Dioxide and Surface Temperature appeared to have strong relationship with each other in each site (0.83, 0.73, and 0.69 for SM San Mateo, Banaba, and Ampid, respectively). For the correlation between the Relative Humidity and Carbon Dioxide, Banaba (0.75) has the highest degree of correlation. Overall, these Air Pollutants and meteorological conditions which are the Surface Temperature and Humidity have a significant relationship with each other. It is concluded that an increase in Carbon Dioxide concentration in the atmosphere may increase the amount of Relative Humidity in the area. According to Comunian et.al (2020), states that Particulate Matter had a mechanism for the COVID-19 virus to proliferate. Due to the limited source of materials, time and to the pandemic happening around, the researcher recommends utilizing standard devices and spends more time in gathering data correlating the present medical condition.

*Keywords:* Air Pollution, Meteorological Conditions, Particulate Matter, Carbon Dioxide, Humidity, Surface Temperature



#### **Finding The Microplastic In Campus**

**Student (s):** Chia-En Tsai, Wan-Hsuan Yang **Teacher:** Cheng-Chang Chen **School:** New Taipei Municipal Hsin Tien Senior High School **Country:** Taiwan Partnership

#### Abstract

We are curious about the number of microplastics from the water in our lives, such as tap water, drinking water, and so on. We speculated that there won't be too many microplastics in tap water because it has been processed. The number of microplastics in the water dispenser should be almost zero. We used special paper to filter the experimental water, observe the microplastics remaining on the filter paper, and record its number. The number of microplastics in the tap water is not as much as we guessed, usually lower than in untreated river water, which means that the treatment and filtration are effective. But some water that from water dispensers is exceeding expectations. More than we thought, some are even as same as the amount of tap water. Therefore, how to decrease the microplastics from water dispensers is the issue we care about.

Keyword: Microplastics, Campus, Water, Drinking fountain



#### Microplastics Monitoring in two main river of central Taiwan

Student (s): Cheng-Hua Wu, Cyuan-You Syu, Ying-Shan Tu, Yue-Lin Jiang Teacher: Ke-Hsuan Zheng School: Feng Yuan Senior High School Country: Taiwan Partnership

#### Abstract

In this study, we used the developing GLOBE Microplastics Monitoring Protocol to quantitatively analyze plastic debris in Dajia river and Wu River located in central Taiwan. We collected water samples along the river from November to December, 2021. In the 10 samples we examined, there were 100% plastic debris, even the water in the upper reaches of the river. Fibers were the most common item in our sample, they can divided into two category. First were colored natural fibers, they can become transporters of microplastics. Secondly were manmade fibers, some of them have fluorescent when they are exposed to UV light. We found that the quantity of microplastics in the lower reaches of the river (115 items/L) was more than upper reaches (35 items/L).

We also found lots of plastic materials(2~5mm) in central west beach of Taiwan. However, there were just a few microplastics founded in one water sample collected nearby Wu River estuary, fishing port and oysters culture area. We speculated it is may be caused by oysters. It might infer that oysters will be more vulnerable to microplastics pollution.

Keyword: microplastics, gridded membrane filter, fiber, Dajia river, Wu River



### The Study of How the Amount of Clouds in the sky Affect the Difference of Temperatures during Daytime and Nighttime

Student (s): Bhira Tayarangsee, Wareerat Nuntasukkasem, Khanasiri Intakosum
Teacher (s): Sangmanee Mingsrisuk, Rattanaporn Waenphet
School: Varee Chiangmai School
Country: Thailand

#### Abstract

Weather has a very important role in our daily lives. The weather in an area is affected by particular weather components pertaining to the area. These components can change all the time and the change of one may or may not affect the others. The cloud is one such component. They reflect solar radiation back to space while also absorbing the shortwave during the day and emitting the energy as infrared radiation at night. This process helps balance the temperature during the day and at night. Thus, the purpose of this study was to investigate how the amount of clouds affect the difference of the daytime and nighttime temperatures. The amount of clouds on each day was observed and recorded. The data was then compared to the difference of the average temperatures recorded daily using a device made from Arduino board and temperature sensor to find a relationship. The findings showed that the amount of clouds did affect the difference of the daytime and nighttime temperatures. On cloudy days, the temperature differences were low while it was high on days with few clouds. However, it was also found that apart from the amount of clouds, other factors also affect these differences for example, the amount of dust particles in the air or the types of clouds.

Keywords: Weather, Cloud quantity, results of cloud quantities causing air temperature



#### The study of physical factors of dung beetles for the development of an automated artificial nest system

**Student:** Ngamthip Fongchon, Chayakorn Sanusit and Sasipim Janporn **Teacher:** Jassada Ritsreeboon and Surasak Sangchan **School:** Sawang Daendin School, Sakon Nakhon Province **Country:** Thailand

#### Abstract

This research examines the physical factors of life for the dung beetles, dung pat size, depth of nest from soil surface, soil pH, soil moisture, soil color, soil texture, soil temperature, air temperature, size and number of dung ball found in the study area of Sawang Daen Din District, Sakon Nakhon Province. In February, 2021, to develop an automated artificial nest system using the Node MCU ESP8266 to control physical factors in the soil to optimize the development of dung beetle larvae for conservation and economic cultivation.

The results showed that Dung beetles live in the dung and nest under the dung pat. Depth from the average soil surface 3.16 cm in sandy loam (SL) with average soil pH of 7, average soil moisture 33%, soil color 7.5YR4/3, 7.5YR4/5, 7.5YR4/6, average soil temperature 30.7 °C, average air temperature 33.1 °C. From the survey, 11 dung ball were found with an average diameter of 2.45 cm and an average size of dung pat 188.60 cm2. When designing and developing artificial nests for cultivating babies with automatic control system, it was found that the artificial nests were able to control the physical factors, humidity in the life of the larva. The soil properties were suitable for the growth of dung beetle larvae similar to those found in nature.

Keywords: physical factors, dung beetles, automated artificial nest



## Technique to increase yield of Pan Phichit lime (*Citrus aurantifolia* Swingle) by applying soil properties data together with automation system.

Students: Mr.Anuphong Khunkhang, Mr.Amarin Nantain, Ms.Paphadsara Buttawong
Teacher: Mrs.Saranya Panpradab
School: Donchanwittayakom school, Don Chan District, Kalasin Province
Country: Thailand

#### Abstract

Because during the dry season in the area of Don Chan District, Kalasin Province There was a decrease in the yield of lemons but has a higher price. In addition, most of the soil in the area is sandy loam keep less moisture, low nutrients and limited water use. The research team is therefore interested in solving such problems. Therefore, the technique of increasing the yield of Pan Phichit lime was studied by applying soil properties data together with an automated system. 1) To study soil properties suitable for flowering and fruiting of lime 2) To compare the amount of watering of lime trees affecting flowering and fruiting of lime 3) To study the efficiency of the automatic irrigation system affecting flowering and fruiting of lemons 4) To study and compare the efficiency of ground cover from legume leaves V2. 5) To study the yield enhancement technique affecting flowering and fruiting of lime. By studying the soil properties of the lime orchards of the farmers, it was found that the soil properties in the lemon gardens of the farmers in both areas had pH, NPK nutrients, and soil temperatures that were similar, and were in the appropriate criteria for planting. However, soil moisture lemon garden planted by a cement pond has a more suitable soil moisture content for planting than a garden planted with a normal plant. When studying the relationship between soil moisture and the number of fruiting of limes, it was found that watering the lime trees in the amount of 1000 and 1500 cm<sup>3</sup>/day resulted in the highest fruit fruiting effect. (Soil moisture is between 44.67-54.67%) From the study of the ground cover from legume leaves, it was found that each ratio of the ground cover from legume leaves had different effects on the soil properties. By using ground cover from legume leaves mixed with chemical fertilizers and ground cover from legume leaves mixed with chemical fertilizers and Trichoderma affects the soil properties that are most suitable for growing plants. Therefore, the ground cover from legume leaves mixed with chemical fertilizers and Trichoderma is the ground cover from legume leaves V2. Because there is a mixture of Trichoderma that helps with digestion and preventing plant diseases from soil. When growing limes by using automatic irrigation system together with ground cover from legume leaves V2, it was found that the soil moisture control was in a range suitable for growing limes, the humidity was at 45-55% and resulted in more flowering and fruiting of the lemon tree than the farmer's cultivation. The study on the control of the number of inflorescences of inflorescences which was transmitted to the increase in yield of limes revealed that the reduction of 2 inflorescences of the limes resulted in the best fruiting of the limes. When comparing the diameters of the limes from different experiments, it was found that the values were not significantly different. And when the battle of hormones from banana stalks affecting to increase the yield of limes, it was found that planting lemons and spraying hormones from banana stalks resulted in more flowering and fruiting from limen trees than growing limes by conventional farmers without injections hormone spray.

#### *Keyword:* Automatic watering system, Cover sheet from legume leaves, Techniques to increase productivity.



#### 3-year-Navigating Environmental Indices around Jungil High School, Daejeon, South Korea

**Student (s):** Hee Sung JUNG *et al.* **Teacher:** Duck Gon KIM **School:** Jungil High School **Country:** Republic of Korea

#### Abstract

Our SOJU science club at Jungil High School is formed for students who are interested in earth environment. We have highly interested in how climate change affects nature. So we decided to study on surrounding water and air environments including river and mountains around our school. We used various measuring devices such as water quality multi-parameter analyzer, laser thermometer and weathercock. After collecting data, we saved all the data and analyzed them. First, we measured key parameters including Dissolved Oxygen (DO), Electrical Conductivity (EC), pH, Total Dissolved Solids (TDS) as a water quality indices and observed various aquatic organisms. Second, we have regularly monitored fine particulate matter (PM 10) and ultra-fine particulate matter (PM 2.5) ratio in the atmosphere around the school for 3 years, from 2019 to 2021. Our results show that there have been no significant changes in both PM 10 and PM 2.5 level in atmosphere around the Jungil High School, Daejeon, South Korea. As a result, we conclude that no significant climate changes could keep maintaining lives of various living organisms.

Keyword: Particulate Matter(PM), PM 10, PM 2.5, 3-year, South Korea



#### Advisory board

Prof. Sukit Limpijumnong, Ph.D.

President of The Institute for the Promotion of Teaching Science and Technology (IPST), GLOBE Country Coordinator, Thailand

Dr. Worawarong Rakreungdet

Vice President of The Institute for the Promotion of Teaching Science and Technology (IPST)

#### Working Team

- 1. Mrs. Parichat Puangmanee IPST
- 2. Mrs. Yupaporn Laplai IPST
- 3. Miss Samornsri Kanphai IPST
- 4. Miss Suwinai Mongkonthan IPST
- 5. Miss Siriporn Laowanich IPST



The Institute for the Promotion of Teaching Science and Technology (IPST) Ministry of Education GLOBE Program Thailand 924 Sukhumvit Road, Phra Khanong Subdistrict, Klong Toei District, Bangkok 10110, Thailand

