

Investigation Instruments: The MUC System

Understanding and Using the MUC System

MUC as a Classification System

The labeling or classification of land cover is one of the major focuses of the *land cover portion of the Biosphere Investigation*. In order for students, teachers and scientists who use GLOBE data to understand exactly what kind of land cover is identified at a site, we must all have a common land cover “language.” The GLOBE Program uses the Modified UNESCO Classification (MUC) System, a classification system which follows international standards and uses ecological terminology for the identification of specific land cover classes. The Land Cover Team modified a classification system used by the United Nations Educational, Scientific and Cultural Organization (UNESCO) by adding developed land cover and made some other small changes.

All classification systems, including the MUC System, have four characteristics. These are:

1. All classification systems have labels, which are the titles of the classes, and definitions or rules, the criteria you apply in order to decide the appropriate class an object belongs in.
2. All systems are arranged in a hierarchical (multiple levels of classes) or branching structure. At any level of detail, all the different classes should be able to “collapse” into the next, less detailed, level of the system and be consistent with the definition of that class level.
3. They are totally *exhaustive*, that is there is a class for every data point or object.
4. Finally, every system is *mutually exclusive*, meaning there is one and only one appropriate class for every data point or object.

By using a standard international classification system, all the GLOBE data may be compiled into a single regional or global land cover data set. This classification system is a tool

for putting every possible land cover type on Earth into a unique land cover class. Thus, ground data may be gathered and used to validate remotely sensed data following the same scientific protocols worldwide. This classification system enables GLOBE participants to accurately describe the land cover at any point on Earth using the identical criteria as all other GLOBE participants. In order to collect information about Land Cover Sample Sites, you must understand how to use the MUC System.

MUC System Organization

There are two components of the MUC System. Part one is the outline of the classification system, the *MUC System Table* (given later in this section), containing the hierarchical list of labels for every class. Part two is the *MUC Glossary of Terms* (found in the *Appendix* of this chapter), with rules and definitions. These two parts are combined in the *MUC Field Guide*. Use of the *MUC Field Guide* is covered during land cover training sessions. You and your students can choose to use the *MUC System Table* and the *MUC Glossary of Terms* or the *MUC Field Guide* in your classification. Some students choose to use both. However, no matter what you use, before classifying any land cover type, it is crucial to *always* check the definition of the particular land cover class you believe is appropriate. Even if you think you know what a Closed Forest is, you should check the definition to confirm that your site is, in fact, a Closed Forest and not a Woodland.

MUC has a hierarchical, or decision tree structure, with 10 Level 1 classes. These classes are very general and easily identified. You must select one unique MUC class to identify a land cover type at each MUC level, beginning at Level 1. Within each Level 1 class there are two to six more detailed Level 2 classes. Level 2 classes are still quite general and easily distinguished. Levels 3 and 4 are more specific communities or vegetative associations. The hierarchical structure of the MUC System simplifies the classification process. At each level your choices are restricted to only those classes which fall

within the single class you have selected at the previous level. Thus while the whole MUC System has over 150 classes, at each step your choice is typically among only three to six land cover types.

In order to conduct the *land cover portion of the Biosphere Investigation*, it is necessary to begin by identifying the MUC Level 1 class for each homogeneous Land Cover Sample Site. Each Level 1 class is general and can be identified by estimating the percentage of the canopy and ground cover by the dominant land cover at the sample site. Often, the percent cover can be visually estimated. Sometimes it will be necessary to take a measurement of the dominant land cover to accurately determine the MUC Level 1 class. The procedure for taking this measurement is found in the *Biometry Protocol*. Table BIO-M-1 shows the 10 MUC Level 1 classes. Once the MUC Level 1 class is selected, then only those associated MUC Level 2 classes should be considered. The same process is followed for MUC Level 3 and MUC Level 4. It is critical that the definitions of each class be carefully checked to make sure that the correct class is chosen.

Using the MUC System

Using the MUC System Glossary of Terms and Table in the Teacher's Guide

When classifying land cover using the MUC System, always begin with the most general classes (Level 1) and proceed sequentially to the more detailed (higher level) classes. There are 10 Level 1 land cover classes in MUC. Eight of these choices are natural land cover and two are developed land cover.

The MUC System has 10 Level 1 classes, including Closed Forest, Woodland, and Urban. The Level 2 classes within Closed Forest are Mainly Evergreen, Mainly Deciduous, and Extremely Xeromorphic (Dry). These Level 2 classes contain more detail than the Level 1 class, Closed Forest, and they may all be collapsed into the Closed Forest class. In other words, any member of one of these three Level 2 classes is always a member of the Closed Forest Level 1 class. See Table BIO-M-2. This is a condensed version of MUC, showing only the Level 1 and Level 2 classes.

The MUC System has up to four levels of classes arranged hierarchically. Each higher level is based on more detailed properties of land cover. MUC class "codes" of up to four digits are associated with each MUC class,

Table BIO-M-1: Level 1 MUC Land Cover Classes

MUC Code	MUC Level 1 Classes	Coverage Required
0	Closed Forest	>40% trees, at least 5 meters tall, crowns interlocking
1	Woodland	>40% trees, at least 5 meters tall, crowns not interlocking
2	Shrubland or Thicket	>40% shrubs or thickets, 0.5 to 5 meters tall
3	Dwarf-Shrubland or Dwarf-Thicket	>40% shrubs or thickets, under 0.5 meters tall
4	Herbaceous Vegetation	>60% herbaceous plants, grasses, and forbs (broad-leaved)
5	Barren	<40% vegetative cover
6	Wetland	>40% vegetative cover, includes marshes, swamps, bogs
7	Open Water	>60% open water
8	Cultivated Land	>60% cultivated species
9	Urban	>40% urban land cover (buildings, paved surfaces)

with one digit for each level in the class. See Table BIO-M-3.

To Classify Land Cover Using the MUC System Table and the MUC Glossary of Terms

- Observe the land cover site and read the definitions for the 10 Level 1 classes. Pick the one that best describes the site. If necessary, take measurements of vegetation height, canopy cover and ground cover and identify dominant and co-dominant vegetation in order to help you decide which Level 1 class is the best choice. See *Field Guides for Biometry Protocol*.
- Once you have chosen the Level 1 class, read the definitions of the Level 2 classes you have to choose from. If none of the definitions seem to fit, go back and rethink your Level 1 choice.
- Choose the Level 2 class that best describes the land cover site. You may need to take biometry measurements and reread the definitions.
- Once you have chosen the Level 2 class, read the definitions of the Level 3 classes you have to choose from. If none of the definitions seem to fit, go back and rethink your Level 2 choice. If there are no Level 3 choices, you are done.
- Choose the Level 3 class that best describes the land cover site. You may need to take biometry measurements and reread the definitions.
- Once you have chosen the Level 3 class, read the definitions of the Level 4 classes you have to choose from. If none of the definitions seem to fit, go back and rethink your Level 3 choice. If there are no Level 4 choices, you are done.
- Record the MUC class (up to 4 digits) in the appropriate place on your *Data Sheet*.

How to Use the MUC Field Guide

The *MUC Field Guide* is designed to lead you through the MUC levels from the most general (Level 1) to the most detailed. The most detailed will be Level 2, 3, or 4, depending on the particular land cover class. At each level,

either you will be asked one or more questions about the site or given a list of options from which you select the best description of your site. Your selection or response to a question (usually either YES or NO) will direct you to the next question until you finally reach the most specific MUC level for your site. When you reach the most detailed level, you will be told 'DONE'.

Every class within each level has a unique identifier or numerical code. Your most detailed classification will be identified by a string of these numbers. In the *MUC Field Guide*, the definition from the *MUC Glossary of Terms* is given for each MUC level. The questions described above and these definitions are given on the left side of the page. Along the right side of the page, there may be definitions of words used in defining the MUC class, as well as some notes to help you decide how to make a selection. Drawings are interspersed throughout the guide to help you better understand the types of vegetation and the rules used in the MUC System. A table showing all the MUC classes is included at the end of this guide.

Helpful Hints

- Your students should refer to the definitions in the *MUC Field Guide* or *MUC Glossary of Terms* when determining MUC for an area.
- Distinguishing among some MUC classes requires quantitative measurements of the percentage of your site that is covered by different types of vegetation and/or the height of the dominant vegetation. You can identify the appropriate MUC class using the measurements found in the *Biometry Protocol*.
- To classify land cover, you may use either the *MUC Field Guide*, or the *MUC Glossary of Terms* along with the *MUC System Table*.
- In order to simplify the *MUC System Table* and *MUC Glossary of Terms* for students, some teachers have modified them by eliminating some of the highly unlikely choices, i.e. glaciers and salt water in a land-locked desert community, xeromorphic (extremely dry) forests in a very humid environment, etc.

Table BIO-M-2: MUC Level 1 and 2

	Level 1	Level 2
Natural Cover	0 Closed Forest	01 Mainly Evergreen 02 Mainly Deciduous 03 Extremely Xeromorphic (Dry)
	1 Woodland	11 Mainly Evergreen 12 Mainly Deciduous 13 Extremely Xeromorphic (Dry)
	2 Shrubland or Thicket	21 Mainly Evergreen 22 Mainly Deciduous 23 Extremely Xeromorphic (Subdesert) Shrubland or Thicket
	3 Dwarf-Shrubland or Dwarf-Thicket	31 Mainly Evergreen 32 Mainly Deciduous 33 Extremely Xeromorphic (Subdesert) Dwarf Shrubland or Dwarf Thicket 34 Tundra
	4 Herbaceous Vegetation	41 Tall Graminoid 42 Medium Tall Graminoid 43 Short Graminoid 44 Forb Vegetation
	5 Barren Land	51 Dry Salt Flats 52 Sandy Areas 53 Bare Rock 54 Perennial Snowfields 55 Glaciers 56 Other
	6 Wetland	61 Riverine 62 Palustrine 63 Estaurine 64 Lacustrine
	7 Open Water	71 Freshwater 72 Marine
Developed Cover	8 Cultivated Land	81 Agriculture 82 Non-agriculture
	9 Urban	91 Residential 92 Commercial and Industrial 93 Transportation 94 Other

Table BIO-M-3: MUC System Table

LEVEL 1	LEVEL 2	LEVEL 3	LEVEL 4	NOTES AND EXAMPLES
Natural Cover	01 Mainly Evergreen	011 Tropical Wet (Rain)	0111 Lowland	Costa Rica: Atlantic slope Costa Rica: Sierra de Talamanca Jamaica: Blue Mountains
			0112 Submontane	
			0113 Montane	
			0114 Subalpine	
			0115 Cloud	
		012 Tropical and Subtropical Seasonal	0121 Lowland	
			0122 Submontane	
			0123 Montane	
			0124 Subalpine	
		013 Tropical and Subtropical Semi-Deciduous	0131 Lowland	<i>Ceiba</i> spp.
			0133 Montane and Cloud	
		014 Subtropical Wet	0141 Lowland	Queensland, Australia, and Taiwan
			0142 Submontane	
			0143 Montane	
			0144 Subalpine	
			0145 Cloud	
		015 Temperate or Subpolar Wet	0151 Temperate	Chilean Coast
			0152 Subpolar	
		016 Temperate with Broad-Leaved Deciduous	0161 Lowland	<i>Eucalyptus regnans</i> , <i>E. diversicolor</i> USA: California live-oak forest
0162 Submontane				
0163 Montane				
0164 Subalpine				
017 Winter-Rain Broad-Leaved Sclerophyllous	0171 Lowland and Submontane >50m	<i>Pinus</i> spp. forest of Honduras and Nicaragua <i>Pinus</i> spp. forest of Philippines and southern Mexico		
	0172 Lowland and Submontane <50m			
018 Tropical and Subtropical Needle-Leaved	0181 Lowland and Submontane			
	0182 Montane and Subalpine			
019 Temperate and Subpolar Needle-Leaved	0191 Giant (>50 m)	<i>Sequoia</i> and <i>Pseudotsuga</i> spp., Pacific W. of N. America <i>Pinus</i> spp. <i>Picea</i> and <i>Abies</i> spp.; USA California Red Fir forests Boreal, short branches		
	0192 Irregularly Rounded Crowns			
	0193 Conical Crowns			
	0194 Cylindrical Crowns			
0	Closed Forest			

Table BIO-M-BF-MUC System Table (continued)

		LEVEL 3		LEVEL 4		NOTES AND EXAMPLES				
0	Closed Forest	02	Mainly Deciduous	021	Tropical and Subtropical Drought-Deciduous	0211	Broad-Leaved Lowland and Submontane	Northwest Costa Rica Northern Peru		
				0212	Montane and Cloud					
				022	Cold-Deciduous with Evergreens	0221	With Evergreen Broad-Leaved Trees and Climbers	Western Europe: <i>Ilex aquifolium</i> , <i>Hedera helix</i> North America: <i>Magnolia</i> spp. Northeastern US: maple-hemlock forest		
		0222	With Evergreen Needle-Leaved Trees							
		03	Extremely Xeromorphic (Dry)	023	Cold-Deciduous without Evergreen Trees	0231	Temperate Lowland and Submontane Broad-Leaved	Grades into woodland		
						0232	Montane and Boreal			
						0233	Subalpine and Subpolar			
		1	Woodland	11	Mainly Evergreen	031	Sclerophyllous-Dominated	0321	Mixed Deciduous-Evergreen	<i>Pinus</i> spp. Mostly subalpine Boreal regions: <i>Picea</i> spp.
						032	Thorn-Dominated	0322	Purely Deciduous	
						033	Mainly Succulent			
12	Mainly Deciduous			111	Broad-Leaved	112	Needle-Leaved	1121	Irregularly Rounded Crowns	
						1123	Cylindrical Crowns			
				121	Drought-Deciduous	1211	Broad-Leaved Lowland and Submontane			
						1212	Montane and Cloud			
				122	Cold-Deciduous with Evergreens	1221	With Evergreen Broad-Leaved Trees and Climbers	Needle-Leaved Trees		
						1222	With Evergreen			
						1231	Broad-Leaved			
13	Extremely Xeromorphic (Dry)	131	Sclerophyllous-Dominated	1232	Needle-Leaved	1321	Mixed Deciduous-Evergreen			
				1233	Mixed			1322	Purely Deciduous	
				133	Mainly Succulent					

Table BIO-M-3: MUC System Table (continued)

LEVEL 1	LEVEL 2	LEVEL 3	LEVEL 4	NOTES AND EXAMPLES
Natural Cover	21 Mainly Evergreen	211 Broad-Leaved	2111 Low Bamboo	Mediterranean dwarf-palm, Hawaiian tree-fern Subalpine <i>Rhododendron</i> thickets, or <i>Hibiscus</i> <i>tiliaceus</i> matted thickets of Hawaii, USA Chapparal or macchia <i>Cistus</i> heath
			2112 Tuft-Free	
			2113 Broad-Leaved Hemi-Sclerophyllous	
	212 Needle-Leaved or Microphyllous	2121 Needle-Leaved 2122 Microphyllous	2114 Broad-Leaved Sclerophyllous	<i>Pinus mughus</i> , "Krummholz" Tropical subalpine
			2115 Suffruticose	
	22 Mainly Deciduous	221 Drought-Deciduous with Evergreen Woody Plants	2231 Temperate	Australia, N. America: <i>Atriplex-Kochia-saltbush</i>
			2232 Subalpine and Subpolar	
			2233 Cold-Deciduous	
	23 Extremely Xeromorphic (Subdesert) Shrubland	231 Mainly Evergreen	2311 Purely Evergreen	E. Mediterranean: <i>Asragalus</i> and <i>Acantholimon</i> spp.
2312 Semi-Deciduous				
2321 Without Succulents 2322 With Succulents				
31 Mainly Evergreen	311 Dwarf-Thicket	3111 Caespitose	<i>Calluna</i> heath <i>Loiseleuria</i> heath	
		3112 Creeping		
		3121 Cushion		
32 Mainly Deciduous	321 Mixed Evergreen and Herbaceous Dwarf-Shrubland	3131 True Evergreen & Herbaceous Mixed	<i>Nardus-Calluna</i> heath Greece: <i>Phryganea</i> spp.	
		3132 Partial Evergreen & Herbaceous Mixed		
		321 Facultative Drought-Deciduous		
3 Dwarf-Shrubland or Dwarf-Thicket	322 Obligate Drought-Deciduous	3221 Caespitose Dwarf-Thicket	3231 Caespitose Dwarf-Thicket 3232 Creeping Dwarf-Thicket 3233 Cushion Dwarf-Shrubland 3224 Mixed Dwarf-Shrubland	
		3222 Creeping Dwarf-Thicket		
		3223 Cushion Dwarf-Shrubland		
323 Cold-Deciduous	3231 Caespitose Dwarf-Thicket 3232 Creeping Dwarf-Thicket 3233 Cushion Dwarf-Shrubland 3234 Mixed Dwarf-Shrubland	3231 Caespitose Dwarf-Thicket	3231 Caespitose Dwarf-Thicket 3232 Creeping Dwarf-Thicket 3233 Cushion Dwarf-Shrubland 3234 Mixed Dwarf-Shrubland	
		3232 Creeping Dwarf-Thicket		
		3233 Cushion Dwarf-Shrubland		

Table BIO-M-3. MUC System Table (continued)

LEVEL 1	LEVEL 2	LEVEL 3	LEVEL 4	NOTES AND EXAMPLES
Natural Cover	3 Dwarf-Shrubland or Dwarf-Thicket	331 Mainly Evergreen	3311 Purely Evergreen 3312 Semi-Deciduous	
		332 Mainly Deciduous	3321 Without Succulents 3322 With Succulents	
	34 Tundra	341 Mainly Bryophyte	3411 Caespitose 3412 Creeping	
		342 Mainly Lichen		
	41 Tall Graminoid	411 With Trees Covering 10-40 %	4110 Trees: Needle-Leaved Evergreen 4111 Trees: Broad-Leaved Evergreen 4112 Trees: Broad-Leaved Semi-Evergreen 4113 Trees: Broad-Leaved Deciduous	
		412 With Trees Covering < 10 %	4120 Trees: Needle-Leaved Evergreen 4121 Trees: Broad-Leaved Evergreen 4122 Trees: Broad-Leaved Semi-Evergreen 4123 Trees: Broad-Leaved Deciduous 4124 Tropical and Subtropical with Trees and Shrubs in Tufts on Termite Nests	Termite savannah
4 Herbaceous Vegetation		413 With Shrubs	4130 Shrubs: Needle-Leaved Evergreen 4131 Shrubs: Broad-Leaved Evergreen 4132 Shrubs: Broad-Leaved Semi-Evergreen 4133 Shrubs: Broad-Leaved Deciduous 4134 Tropical and Subtropical with Trees and Shrubs in Tufts on Termite Nests	Termite savannah
		414 With Tuft Plants	4141 Tropical with Palms	Bolivia: <i>Arocomia totai</i> and <i>Attalea princeps</i>
		415 Without Woody Synusia	4151 Tropical	Low-latitude Africa, lower Amazon, upper Nile
	42 Medium Tall Graminoid	421 With Trees Covering 10-40 %	4210 Trees: Needle-Leaved Evergreen 4211 Trees: Broad-Leaved Evergreen 4212 Trees: Broad-Leaved Semi-Evergreen 4213 Trees: Broad-Leaved Deciduous	
		422 With Trees Covering < 10 %	4220 Trees: Needle-Leaved Evergreen 4221 Trees: Broad-Leaved Evergreen 4222 Trees: Broad-Leaved Semi-Evergreen 4223 Trees: Broad-Leaved Deciduous 4224 Tropical and Subtropical with Trees and Shrubs in Tufts on Termite Nests	Termite savannah

Table BIO-M-3: MUC System Table (continued)

LEVEL 1	LEVEL 2	LEVEL 3	LEVEL 4	NOTES AND EXAMPLES
Natural Cover	42 Medium Tall Graminoid	423 With Shrubs	4230 Shrubs: Needle-Leaved Evergreen 4231 Shrubs: Broad-Leaved Evergreen 4232 Shrubs: Broad-Leaved Semi-Evergreen 4233 Shrubs: Broad-Leaved Deciduous 4234 Tropical and Subtropical with Trees and Shrubs in Tufts on Termite Nests 4235 Woody Synusia of Deciduous Thorny Shrubs	Termite savannah
		424 Open Synusia of Tuft Plants 425 Without Woody Synusia	4241 Subtropical with Open Palm Groves 4251 Mainly Sod Grasses 4252 Mainly Bunch Grasses	USA, Eastern Kansas: tall-grass prairie New Zealand: <i>Festuca novae-zelandiae</i>
4 Herbaceous Vegetation	43 Short Graminoid	431 With Trees Covering 10-40 %	4310 Trees: Needle-Leaved Evergreen 4311 Trees: Broad-Leaved Evergreen 4312 Trees: Broad-Leaved Semi-Evergreen 4313 Trees: Broad-Leaved Deciduous	
		432 With Trees Covering < 10 %	4320 Trees: Needle-Leaved Evergreen 4321 Trees: Broad-Leaved Evergreen 4322 Trees: Broad-Leaved Semi-Evergreen 4323 Trees: Broad-Leaved Deciduous 4324 Tropical and Subtropical with Trees and Shrubs in Tufts on Termite Nests	Termite savannah
		433 With Shrubs	4330 Shrubs: Needle-Leaved Evergreen 4331 Shrubs: Broad-Leaved Evergreen 4332 Shrubs: Broad-Leaved Semi-Evergreen 4333 Shrubs: Broad-Leaved Deciduous 4334 Tropical and Subtropical with Trees and Shrubs in Tufts on Termite Nests 4335 Woody Synusia of Deciduous Thorny Shrubs	Termite savannah
		434 Open Synusia of Tuft Plants 435 Mainly Bunch Grasses with Woody Synusia 436 Without Woody Synusia	4341 Subtropical with Open Palm Groves 4351 Tropical Alpine with Tuft Plants 4352 Tropical Alpine without Tuft Plants 4353 Tropical and Subtropical Alpine with Open Stands of Evergreens 4354 With Dwarf Shrubs 4361 Short-Grass Communities 4362 Bunch-Grass Communities	USA, Colorado: short-grass prairie

Table BIO-M-3: MUC System Table (continued)

	LEVEL 1	LEVEL 2	LEVEL 3	LEVEL 4	NOTES AND EXAMPLES
Natural Cover	4 Herbaceous Vegetation	44 Forb Vegetation	437 Short to Medium Tall Mesophytic Communities	4371 Sodgrass Communities	N. America, Eurasia: Low altitude, cool, humid
			441 Tall Communities	4372 Alpine and Subalpine Meadows	High latitudes
			442 Low Communities	4411 Fern Thickets 4412 Mainly Annual 4413 Mainly Perennial Flowering Forbs and Ferns	
	5 Barren Land	51 Dry Salt Flats 52 Sandy Areas 53 Bare Rock 54 Perennial Snowfields 55 Glaciers 56 Other		4421 Mainly Perennial Flowering Forbs and Ferns 4422 Mainly Annual	
			61 Riverine		
			62 Palustrine		
			63 Estuarine		
			64 Lacustrine		
	7 Open Water	71 Freshwater 72 Marine			
Developed Cover	8 Cultivated Land	81 Agriculture	811 Row Crop and Pasture 812 Orchard and Horticulture 813 Confined Livestock feeding 814 Other Agriculture		
			82 Non-Agriculture	821 Parks and Athletic fields 822 Golf Courses 823 Cemeteries 824 Other Non-Agriculture	
	9 Urban	91 Residential 92 Commercial and Industrial 93 Transportation 94 Other			

Example of MUC Classification


Below is an example for assigning a MUC class to a given homogeneous area. Three additional examples are also in the *Appendix*. This first example is for your students to follow along, while the rest (in the *Appendix*) are for them to try for themselves. Students should be able to confidently assign a MUC class by the time they complete the last example.

The answer for the example below is 4213.

The definitions of the MUC classes and scientific terminology are given in the *MUC Glossary of Terms* and in the *MUC Field Guide*. ALWAYS refer to these definitions rather than trusting your memory or general knowledge when determining the MUC class for an area.

Example 1

For your land cover site (90 m x 90 m), you picked a homogeneous area. This means that the entire area will have the same MUC class. About 80% of the site is covered by graminoid (grass) and forb (broad-leaved) vegetation about 1 meter tall. It is 75% graminoid and 25% forb mix. Broad-leaved deciduous trees cover about 15-20% of the site.



Level 1: Look in the *MUC System Table* at all the Level 1 classes. Note that class 4, Herbaceous Vegetation, is probably the appropriate Level 1 class. Look in the *MUC Glossary of Terms*. Class 4 requires greater than 60% total ground cover of herbaceous vegetation over the entire site. Class 4 is the correct choice.

Level 2: Look in the *MUC System Table* at the four choices at Level 2 (41-44). Review the definitions of these four classes in the *MUC Glossary of Terms*. You should determine that, since the dominant cover type (herbaceous) is more than 50% graminoid, the Level 2 land cover type must be Graminoid. Since the graminoid is between 50 cm and 2 m tall, you should select class 42, Medium Tall Graminoid.

Level 3: Look in the *MUC System Table* at the five Level 3 choices (421-425). Since trees cover 15-20% of the site, you should select Class 421, "With Trees Covering 10-40%." To be sure this is the correct answer, read the definition in the *MUC Glossary of Terms*.

Level 4: You now have four choices at Level 4 (4210-4213). Since the trees are broad-leaved deciduous, you should select class 4213. You have completed your MUC Level 4 classification.